BRITISH JOURNAL

OF

HAEMATOLOGY

EDITORIAL BOARD

EDITOR

I. R. PEAKE

ASSOCIATE EDITORS

A. K. Burnett, J. M. Chessells, C. G. Geary, D. C. Linch, C. A. Ludlam, S. J. Machin, J. A. F. Napier, A. C. Newland, N. Testa, M. Worwood, W. G. Wood

ANNOTATIONS EDITORS

M. K. Brenner and W. G. Wood

CLINICAL ANNOTATIONS EDITORS

J. M. Chessells and M. Pippard

A. V. Hoffbrand *Chairman*

A. J. Barrett, A. L. Bloom, E. Briet, M. K. Brenner, J. M. Goldman, E. C. Gordon-Smith, M. Greaves, D. Hoelzer, B. Löwenberg, L. Luzzatto, P. M. Mannucci, M. Pippard, E. G. D. Tuddenham, H. van der Berghe, J. A. Whittaker

Volume 80

Pages 1–574

BLACKWELL SCIENTIFIC PUBLICATIONS

OXFORD LONDON EDINBURGH BOSTON MELBOURNE

1992

PUBLISHED BY BLACKWELL SCIENTIFIC PUBLICATIONS LTD, OSNEY MEAD, OXFORD

© 1992 Blackwell Scientific Publications. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Scientific Publications for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $06.00 per copy is paid directly to CCC, 27 Congress Street, Salem, MA 01970, U.S.A. Special requests should be addressed to the Editor. 0007-1048/92 $06.00.

Printed in Great Britain at The Alden Press, Oxford

BRITISH JOURNAL OF HAEMATOLOGY

Vol. 80 No. 1 January 1992

ANNOTATION. G. J. MORGAN and L. M. WIEDEMANN. The clinical application of molecular techniques in Philadelphia-positive leukaemia 1

ROBERT M. JOHNSON, Y. RAVINDRANATH, FRED BROHN and MUKARRAM HUSSAIN. A large erythroid spectrin β-chain variant 6

VASILIKI MIKRAKI, SURESH C. JHANWAR, DANIEL A. FILIPPA, NORMA WOLLNER and R. S. K. CHAGANTI. Distinct patterns of chromosome abnormalities characterize childhood non-Hodgkin's lymphoma 15

STEPHAN PETRASCH, MARIE KOSCO, CARMELO PEREZ-ALVAREZ, JÖRN SCHMITZ and GÜNTER BRITTINGER. Proliferation of non-Hodgkin-lymphoma lymphocytes *in vitro* is dependent upon follicular dendritic cell interactions 21

S. PREVOT, S. HAMILTON-DUTOIT, J. AUDOUIN, P. WALTER, G. PALLESEN and J. DIEBOLD. Analysis of African Burkitt's and high-grade B cell non-Burkitt's lymphoma for Epstein-Barr virus genomes using *in situ* hybridization 27

J. O. CULLIS, A. P. SCHWARER, T. P. HUGHES, J. M. HOWS, I. FRANKLIN, G. MORGENSTERN and J. M. GOLDMAN. Second transplants for patients with chronic myeloid leukaemia in relapse after original transplant with T-depleted donor marrow: feasibility of using busulphan alone for re-conditioning 33

MELVIN H. FREEDMAN, AMOS COHEN, TOM GRUNBERGER, NANCY BUNIN, RUTH E. LUDDY, E. FRED SAUNDERS, NASROLLAH SHAHIDI, ALAN LAU and ZEEV ESTROV. Central role of tumour necrosis factor, GM-CSF, and interleukin 1 in the pathogenesis of juvenile chronic myelogenous leukaemia 40

MARCUS STOCKSCHLAEDER, RAINER STORB, MARGARET PEPE, GARY LONGTON, GEORGE MCDONALD, CLAUDIO ANASETTI, FREDERICK APPELBAUM, KRIS DONEY, PAUL MARTIN, KEITH SULLIVAN and ROBERT WITHERSPOON. A pilot study of low-dose cyclosporin for graft-versus-host prophylaxis in marrow transplantation 49

MARTIN HJORTH, ERIK HOLMBERG, STIG RÖDJER and JAN WESTIN. Impact of active and passive exclusions on the results of a clinical trial in multiple myeloma 55

V. BUCCHERI, V. SHETTY, N. YOSHIDA, R. MORILLA, E. MATUTES and D. CATOVSKY. The role of an anti-myeloperoxidase antibody in the diagnosis and classification of acute leukaemia: a comparison with light and electron microscopy cytochemistry 62

RHONA STEIN, ROBERT M. SHARKEY and DAVID M. GOLDENBERG. Haematological effects of radioimmunotherapy in cancer patients 69

URPO NIEMINEN and RIITTA KEKOMÄKI. Quinidine-induced thrombocytopenic purpura: clinical presentation in relation to drug-dependent and drug-independent platelet antibodies 77

J. M. HEAL, J. COWLES, D. MASEL, J. M. ROWE and N. BLUMBERG. Antibodies to plasma proteins: an association with platelet transfusion refractoriness 83

M. DELAMAIRE, F. DURAND, B. GROSBOIS, G. LE DANTEC, C. DAURIAC, M.-C. LE GOFF, R. LE BLAY and B. GENETET. Is there a mechanical factor of haemolysis in patients with positive IgG-type direct antiglobulin test 91

S. F. GARNER, E. WIENER, M. CONTRERAS, U. NICOLINI, N. KOCHENOUR, E. LETSKY and C. H. RODECK. Mononuclear phagocyte assays, AutoAnalyzer quantitation and IgG subclasses of maternal anti-RhD in the prediction of the severity of haemolytic disease of the fetus before 32 weeks gestation 97

ALINA FERSTER, CHRISTINE DE VALCK, NADIRA AZZI, PIERRE FONDU, MICHÈLE TOPPET and ERIC SARIBAN. Bone marrow transplantation for severe sickle cell anaemia 102

CHRISTOPHER E. WALSH, JOHNSON M. LIU, STACIE M. ANDERSON, JEFFREY L. ROSSIO, ARTHUR W. NIENHUIS and NEAL S. YOUNG. A trial of recombinant human interleukin-1 in patients with severe refractory aplastic anaemia 106

S. FILOSA, V. CALABRÒ, D. VALLONE, V. POGGI, P. MASON, D. PAGNINI, F. ALFINITO, B. ROTOLI, G. MARTINI, L. LUZZATTO and G. BATTISTUZZI. Molecular basis of chronic non-spherocytic haemolytic anaemia: a new G6PD variant (393 Arg→His) with abnormal K_m^{G6P} and marked *in vitro* instability 111

CHARLES A. HALL. The neurologic aspects of transcobalamin II deficiency 117

THERAPEUTIC DEVELOPMENT

P. D. JENSEN, I. M. JENSEN and J. ELLEGAARD. Desferrioxamine treatment reduces blood transfusion requirements in patients with myelodysplastic syndrome 121

CASE REPORTS

RODOLFO MATAIX, EMILIO OJEDA, MARIA DEL CARMEN PEREZ and SANTIAGO JIMENEZ. Ticlopidine and severe aplastic anaemia 125

KAZUO MUROI, KIMIHIKO TOYA, TOSHIYUKI SUZUKI, TOSHIO SUDA, SHINOBU SAKAMOTO and YASUSADA MIURA. Expression of CD11B, CD14 and CD36 antigens by B-cell lymphoma 126

TAKASHI HANADA, TAKAYUKI ISHIDA, HIROSHI KOJIMA and TAROU TSUCHIYA. Granular lymphocyte leukaemia in association with multiple myeloma 127

NORIHIKO KAWAMATA, YASUO MARUYAMA, SHUJI TODA, KOZO TAKASE, HIDEKI AKIYAMA, HISASHI

Sakamaki and Yasusuke Onozawa. A case of chronic lymphocytic leukaemia with myeloid associated antigen 129
Kazushige Nagai, Teruaki Morohoshi, Tooru Kudoh, Yuko Yoto, Nobuhiro Suzuki and Yasuko Matsunaga. Transient erythroblastopenia of childhood with megakaryocytopenia associated with human parvovirus B19 infection 131

CORRESPONDENCE
E. Miraglia de Giudice, S. Perrotta, L. Pinto, M. D. Cappellini, G. Fiorelli, S. Cutillo and A. Iolascon. Hereditary spherocytosis characterized by increased spectrin/band 3 ratio 133
Paolo Rebulla and Girolamo Sirchia. Duration of first remission in leukaemic recipients of leucocyte-poor blood components 135
T. Klumpp. Autoimmune pancytopenia following bone marrow transplantation 135
Book Review 000

Vol. 80 No. 2 February 1992

Ina Fabian, Yehudith Kletter, Shlomith Mor, Carmi Geller-Bernstein, Miriam Ben-Yaakov, Benjamin Volovitz and David W. Golde. Activation of human eosinophil and neutrophil functions by haemopoietic growth factors: comparisons of IL-1, IL-3, IL-5 and GM-CSF 137
Jonathan Cebon, Graham John Lieschke, Ross William Bury and George Morstyn. The dissociation of GM-CSF efficacy from toxicity according to route of administration: a pharmacodynamic study 144
Takako Kaneko, Kazuo Oshimi, Takashi Seto, Ko Okumura and Hideaki Mizoguchi. A bispecific antibody detects cytotoxic T lymphocytes of unknown antigen specificity in patients with granular lymphocyte-proliferative disorders 151
H. Vergnes, A. Brisson-Lougarre, P. Limouzy, C. Dray and J. Grozdea. Phosphotyrosine phosphatase activity and haemotologic changes in Down's syndrome patients 157
Jörg Pont, Elisabeth Puchhammer-Stöckl, Andreas Chott, Therese Popow-Kraupp, Heinz Kienzer, Gerhard Postner and Norbert Honetz. Recurrent granulocytic aplasia as clinical presentation of a persistant parvovirus B19 infection 160
Gunnar Grimfors, Birger Andersson, Owe Tullgren, Ricardo Giscombe, Göran Holm, Bo Johansson and Magnus Björkholm. Increased serum CD8 soluble antigen level is associated with blood lymphocyte abnormalities and other established indicators of a poor prognosis in adult Hodgkin's disease 166
Koichi Akashi, Tsunefumi Shibuya, Mine Harada, Akiko Oogami, Takanori Teshima, Yasushi Takamatsu, Masahiro Kikuchi and Yoshiyuki Niho. Interstitial 9q deletion in T-lymphoid/myeloid biphenotypic leukaemia 172
Pierre Fenaux, Claude Preudhomme, Isabelle Quiquandon, Philippe Jonveaux, Jean Luc Laï, Mickael Vanrumbeke, Marie Henriette Loucheux-Lefebvre, Francis Bauters, Roland Berger and Jean Pierre Kerckaert. Mutations of the P53 gene in acute myeloid leukaemia 178
Jen C. Wang, Hong-Dao Lang, Stephen Lichter, Martha Weinstein and Peter Benn. Cytogenetic studies of bone marrow fibroblasts cultered from patients with myelofibrosis and myeloid metaplasia 184
Andreas Hirt, Eva-Maria Werren, Annette Ridolfi Luethy, Johannes Gerdes and Hans P. Wagner. Cell cycle analysis in lymphoid neoplasia of childhood: differences among immunologic subtypes and similarities in the proliferation of normal and leukaemic precursor B cells 189
K. Ganeshaguru, W. C. P. de Mel, G. Sissolak, D. Catovsky, C. E. Dearden, A. B. Mehta and A. V. Hoffbrand. Increase in 2′,5′-oligoadenylate synthetase caused by deoxycoformycin in hairy cell leukaemia 194
M. Monconduit, J. F. Menard, J. L. Michaux, X. Le Loet, J. F. Bernard, B. Grosbois, J. P. Pollet, I. Azais, J. Ph. Laporte, C. Doyen, A. De Gramont, M. Wetterwald, B. Duclos, L. Euller-Ziegler and A. M. Peny. VAD or VMBCP in severe multiple myeloma 199
Patricia Renesto, Chakir Kadiri and Michel Chignard. Combined activation of platelets by cathepsin G and platelet activating factor, two neutrophil-derived agonists 205
J. Goudemand, C. Mazurier, A. Marey, C. Caron, B. Coupez, P. Mizon and M. Goudemand. Clinical and biological evaluation in von Willebrand's disease of von Willebrand factor concentrate with low factor VIII activity 214
Alessandra Meloni, M. Cristina Rosatelli, Valeria Faà, Raffaela Sardu, Luisella Saba, Stefania Murru, Giuseppina V. Sciarratta, Maurizia Baldi, Nunzia Tannoia, Antonio Vitucci and Antonio Cao. Promoter mutations producing mild β-thalasaemia in the Italian population 222
Juergen Thiele, Volker Rompcik, Stephan Wagner and Robert Fischer. Vascular architecture and collagen type IV in primary myelofibrosis and polycythaemia vera: an immunomorphometric study on trephine biopsies of the bone marrow 227
A. Djeha and J. H. Brock. Effect of transferrin, lactoferrin and chelated iron on human T-lymphocytes 235
M. C. Lecomte, H. Gautero, O. Bournier, C. Galand, A. Lahary, J. P. Vannier, M. Garbarz, J. Delaunay, G. Tchernia, P. Boivin and D. Dhermy. Elliptocytosis-associated spectrin Rouen ($\beta^{220/218}$) has a truncated but still phosphorylatable β chain 242

CASE REPORTS
Anne M. Sproul, Elizabeth A. Chalmers, Kenneth I. Mills, Alan K. Burnett and Elaine Simpson. Third party mediated graft rejection despite irradiation of blood products 251

PIERRE LANEUVILLE. Cyclosporin A induced remission of CD4+ T-CLL associated with eosinophilia and fasciitis 252
U. HESS, A. GANSER, H.-G. SCHNÜRCH, G. SEIPELT, O. G. OTTMAN, S. FALK, G. SCHULZ and D. HOELZER. Myelokathexis treated with recombinant human granulocyte-macrophage colony-stimulating factor (rhGM-CSF) 254
T. J. NEVILL, M. J. BARNETT, K. S. ROBINSON, W. GREER and G. L. PHILLIPS. Return to durable haematopoiesis after blast phase relapse of chronic myeloid leukaemia following marrow transplantation 256
OLIVIERO OLIVIERI, DOMENICO GIRELLI, LUCIANO VETTORE, GIANCARLO BALERCIA and ROBERTO CORROCHER. A case of congenital dyserythropoietic anaemia with stomatocytosis, reduced bands 7 and 8 and normal cation content 258
LILJ UZIEL, IRENE FABRIZI, MADDALENA L. ZIGHETTI, GIOVANNI CARPANI, ALBERTO ROSTI, GIAN ALESSANDRO MORONI and ALBERTO MARMONT. A favourable effect of recombinant human erythropoietin in three cases of leukaemic transformation from chronic myelomonocytic leukaemia 260

CORRESPONDENCE
T. HOUSTON, M. R. MOORE, A. JAMIESON and E. FITZSIMONS. Treatment of primary acquired sideroblastic anaemia with haem arginate 263
P. ZACHÉE, M. A. BOOGAERTS, L. HELLEMANS and J. SNAUWAERT. Adverse role of the spleen in hereditary spherocytosis: evidence by the use of the atomic force microscope 264
A. R. HUBBARD, L. J. PARR and M. G. BAINES. Pregnancy and factor VII 265
M. J. WOODS, M. GREAVES and E. A. TROWBRIDGE. The physiological significance of circulating megakaryocytes 266
Book Reviews 268

Vol. 80 No. 3 March 1992

ANNOTATION. SWEE LAY THEIN. Dominant β thalassaemia: molecular basis and pathophysiology 273
MARIO CAZZOLA and YVES BEGUIN. New tools for clinical evaluation of erythron function in man 278
GUDRUN NOÉ, WALTRAUT RIEDEL, BERNHARD KUBANEK and IVAN N. RICH. A sensitive sandwich ELISA for measuring erythropoietin in human serum 285
KOHSUKE YANAGISAWA, HITOSHI HASEGAWA and SHIGERU FUJITA. Granulocytic differentiation of the human myelomonocytic leukaemia cell line ME-1 in serum-free culture 293
L. J. CAMPBELL, D. W. MAHER, D. L. M. TAY, A. W. BOYD, S. ROCKMAN, K. MCGRATH, R. M. FOX and G. MORSTYN. Marrow proliferation and the appearance of giant neutrophils in response to recombinant human granulocyte colony stimulating factor (rhG-CSF) 298
J. F. SAN MIGUEL, M. GONZÁLEZ, A. GASCÓN, Mª J. MORO, J. M. HERNÁNDEZ, F. ORTEGA, R. JIMÉNEZ, L. GUERRAS, M. ROMERO, F. CASANOVA, M. A. SANZ, J. SÁNCHEZ, J. A. PORTERO and A. ORFAO. Lymphoid subsets and prognostic factors in multiple myeloma 305
GIORGINA SPECCHIA, VICENZO LISO, SILVANA CAPALBO, FRANCESCA FAZIOLI, STEFANIA BETTONI, RENATO BASSAN, PIERA VIERO, TIZIANO BARBUI and ALESSANDRO RAMBALDI. Constitutive expression of IL-1β, M-CSF and c-fms during the myeloid blastic phase of chronic myelogenous leukaemia 310
KAZUNORI NAKASE, KENKICHI KITA, AKIRA OTSUJI, HIROSHI ANAZAWA, KENICHIRO HOSHINO, TAKAO SEKINE, SHIGERU SHIRKAWA, ISAO TANAKA, KAORI NASU, HIROSHI TSUTANI, HIROO DOHY and MITSURU TSUDO. Diagnostic and clinical importance of interleukin-2 receptor alpha chain expression on non-T-cell acute leukaemia cells 317
MINORU FUKUDA, SEIJI KOJIMA, KIMIKAZU MATSUMOTO and TAKAHARU MATSUYAMA. Autotransplantation of peripheral blood stem cells mobilized by chemotherapy and recombinant human granulocyte colony-stimulating factor in childhood neuroblastoma and non-Hodgkin's lymphoma 327
FAY KATZ, DAVID WEBB, BARBARA GIBBONS, BRIAN REEVES, CATHY MCMAHON, JUDITH CHESSELLS and CHRISTOPHER MITCHELL. Possible evidence for genomic imprinting in childhood acute myeloblastic leukaemia associated with monosomy for chromosome 7 332
ALESSANDRO GRINGERI, MARCO CATTANEO, ELENA SANTAGOSTINO and PIER MANNUCCIO MANNUCCI. Intramuscular anti-D immunoglobulins for home treatment of chronic immune thrombocytopenic purpura 337
JEF ARNOUT ERWIN HUYBRECHTS, MARLEEN VANRUSSELT and JOS VERMYLEN. A new lupus anticoagulant neutralization test based on platelet-derived vesicles 341
HARVEY R. GRALNICK, SYBIL B. WILLIAMS, LAURIE MCKEOWN, BRENDA SHAFER, GERARD D. CONNAGHAN, KRISTIN HANSMANN, MICHAEL VAIL and LOUISE MAGRUDER. Endogenous platelet fibrinogen: its modulation after surface expression is related to size-selective access to and conformational changes in the bound fibrinogen 347
KATHELIJNE PEFRLINCK, JEROEN C. J. EIKENBOOM, HANS K. PLOOS VAN AMSTEL, WANIDA SANGTAWESIN, JEF ARNOUT, PIETER H. REITSMA, JOS VERMYLEN and ERNEST BRIËT. A patient with von Willebrand's disease characterized by a compound heterozygosity for a substitution of Arg^{854} by Gln in the putative factor-VIII-binding domain of von Willebrand factor (vWF) on one allele and very low levels of mRNA from the second vWF allele 358
R. J. G. CUTHBERT, C. A. LUDLAM, C. M. STEEL, DIANNE BEATSON and J. F. PEUTHERER. Immunological studies in HIV seronegative haemophiliacs: relationships to blood product therapy 364
CLAUDINE VERMOT-DESROCHES, DOMINQUE RIGAL, CHRISTIAN BLOURDE and JEANINE BERNAUD. Immunosuppressive property of a very high purity antihaemophilic preparation: a low

molecular weight component inhibits an early step of PHA induced cell activation 370
JOHN S. WAYE, BARRY ENG and DAVID H. K. CHUI. Identification of an extensive ζ–α globin gene deletion in a Chinese individual 378
J. LABADIE, M. J. D. VAN TOL, N. H. DIJKSTRA, F. E. ZWAAN and J. M. VOSSEN. Transfer of specific immunity from donor to recipient of an allogeneic marrow graft: effect of conditioning on the specific immune response of the graft recipient 381
G. SOCIÉ, J. LANDMAN, E. GLUCKMAN, A. DEVERGIE, B. RAYNAL, H. ESPEROU-BOURDEAU and O. BRISON. Short-term study of chimaerism after bone marrow transplantation for severe aplastic anaemia 391
PETER HILLMEN, JILL M. HOWS and LUCIO LUZZATTO. Two distinct patterns of glycosylphosphatidylinositol (GPI) linked protein deficiency in the red cells of patients with paroxysmal nocturnal haemoglobinuria 399

CASE REPORTS
DOUG JONES, ZELLA R. ZIEGLER, CRAIG S. ROSENFELD and RICHARD K. SHADDUCK. Unmaintained trilineage response to recombinant human erythropoietin in a patient with myelodysplasia 406
C. SALGADO, E. FELIU, J. BLADE, M. ROSMAN, J. LL. AGUILAR and C. ROZMAN. A second bone marrow biopsy as a cause of a false diagnosis of myelofibrosis 407
MASAMI BESSHO, AKIRA TOYODA, YOSHIRO ITOH, TOHRU SAKATA, NOBUTAKA KAWAI, ITSURO JINNAI, MASANOBU SAITO and KUNITAKE HIRASHIMA. Trilineage recovery by combination therapy with recombinant human granulocyte colony-stimulating factor (rhG-CSF) and erythropoietin (rhEpo) in severe aplastic anaemia 409
SHUJI OZAKI, YASUNORI KAWACHI, YUKIHIRO SAKAMOTO, TATSUMI UCHIDA, KAZUE SASAKI, MASAHARU MORI and KOJUN SETSU. Kaposi's sarcoma associated with adult T-cell leukaemia 411
MAKOTO MIGITA, YOSHITAKA FUKUNAGA, ATSUSHI WATANABE, KAZUO MARUYAMA, KOHZO OHTA, KIYOSHI KANEKO, MIZUHO KANEDA, KATSUKO KAKINUMA and MASAO YAMAMOTO. Emperipolesis of neutrophils by megakaryocytes and thrombocytopenia observed in a case of Kostmann's syndrome during intravenous administration of high-dose rhG-CSF 413

CORRESPONDENCE
A. CHISTOLINI, M. G. MAZZUCCONI, F. DRAGONI and V. DE SANCTIS. Recombinant alpha 2b interferon in the treatment of refractory autoimmune thrombocytopenic purpura 416
R. M. HUTCHINSON and D. A. WINFIELD on behalf of the Trent Working Party on Adult leukaemia. Mitozantrone and cytosine arabinoside as first line therapy in elderly patients with acute myeloid leukaemia 416
Book Reviews 418
Announcements 419

Vol. 80 No. 4 **April 1992**

ANNOTATION. KENNETH CORNETTA. Safety aspects of gene therapy 421
CLINICAL ANNOTATION. G. SOCIÉ, H. J. KOLB and P. LJUNGMAN. Malignant diseases after allogeneic bone marrow transplantation: the case for assessment of risk factors 427
D. D. F. MA, AI-QUN WEI, L. A. DOWTON, K. S. LAU, Z.-H. WU and M. UEDA. Assessment of an EIA for measuring human serum erythropoietin as compared with RIA and an *in-vitro* bioassay 431
DE-LIN DU, DONNA A. VOLPE, CHARLES K. GRIESHABER and MARTIN J. MURPHY, JR. *In vitro* toxicity of 3′-azido-3′-deoxythymidine, carbovir and 2′,3′-didehydro-2′,3′-dideoxythymidine to human and murine haematopoietic progenitor cells 437
A. S. LAURIE, F. M. GIBSON, K. M. JOSTEN, P. J. TALBOT, T. R. RUTHERFORD, J. S. LILLEYMAN and E. C. GORDON-SMITH. Childhood polyclonal T cell lymphocytosis with neutropenia: effects of antilymphocyte globulin and granulocyte colony stimulating factor *in vitro* and *in vivo* 446
SHERRY L. ABBOUD. Epidermal growth factor stimulates macrophage colony-stimulating factor (M-CSF) mRNA expression and M-CSF release in cultured murine stromal cells 452
M. B. VAN'T VEER, J. C. KLUIN-NELEMANS, C. E. VAN DER SCHOOT, W. L. J. VAN PUTTEN, H. J. ADRIAANSEN and E. R. VAN WERING. Quality assessment of immunological marker analysis and the immunological diagnosis in leukaemia and lymphoma: a multi-centre study 458
THOMAS M. HABERMANN, JANET W. ANDERSEN, PETER A. CASSILETH, JOHN M. BENNETT and MARTIN M. OKEN. Sequential administration of recombinant interferon alpha and deoxycoformycin in the treatment of hairy cell leukaemia 466
ANDREA BIONDI, VINCENZO ROSSI, PAOLA FRANCIA DI CELLE, ANNA CARBONE, SERENA BENVESTITO, ALESSANDRO BUSCA, GIOVANNI GIUDICI, CLAUDIA GIACHINO, GIUSEPPE BASSO, ROBIN FOA and NICOLA MIGONE. Unique genotypic features of infant acute lymphoblastic leukaemia at presentation and at relapse 472
JEAN-PIERRE KREMER, GILBERT REISBACH, CHRISTOPH NERL and PETER DÖRMER. B-cell chronic lymphocytic leukaemia cells express and release transforming growth factor-β 480
T. FACON, C. CARON, P. COURTIN, A. WURTZ, M. DEGHAYE, F. BAUTERS, C. MAZURIER and J. GOUDEMAND. Acquired type II von Willebrand's disease associated with adrenal cortical carcinoma 488
BETTY C. HAKKERT, JEANETTE M. RENTENAAR and JAN A. VAN MOURIK. Monocytes enhance endothelial von Willebrand factor release and prostacyclin production with different kinetics and dependency on intercellular contact between these two cell types 495
GEORGE P. ANDERSON. Insights into heparin-induced thrombocytopenia 504
S. SAIVIN, C. CARANOBE, M. PETITOU, P. SIE, J. C. LORMEAU, M. LEVEL, B. CREPON, G. HOUIN and

B. Boneu. Antithrombotic activity, bleeding effect and pharmacodynamics of a succinyl derivative of dermatan sulphate in rabbits 509

Henry G. Watson, Christopher A. Ludlam, Selma Rebus, Lin Qi Zhang, John F. Peutherer and Peter Simmonds. Use of several second generation serological assays to determine the true prevalence of hepatitis C virus infection in haemophiliacs treated with non-virus inactivated factor VIII and IX concentrates 514

Mark D. Scott, Philippe Rouyer-Fessard, Marième Soda Ba, Bertram H. Lubin and Yves Beuzard. α- and β-haemoglobin chain induced changes in normal erythrocyte deformability: comparison to β thalassaemia intermedia and Hb H disease 519

G. T. Yüregir, K. Aksoy, M. A. Cürük, N. Dikmen, Y.-J. Fei, E. Baysal and T. H. J. Huisman. Hb H disease in a Turkish family resulting from the interaction of a deletional α-thalassaemia-1 and a newly discovered poly A mutation 527

E. Gottardi, M. Losekoot, R. Fodde, G. Saglio, C. Camaschella and L. F. Bernini. Rapid identification by denaturing gradient gel electrophoresis of mutations in the γ-globin gene promoters in non-deletion type HPFH 533

M. Owens, S. Holme, A. Heaton, S. Sawyer and S. Cardinali. Post-transfusion recovery of function of 5-day stored platelet concentrates 539

Franco Locatelli, Paolo Pedrazzoli, Giovanni Barosi, Marco Zecca, Fulvio Porta, Lucio Liberato, Daniela Gambarana, Luigi Nespoli and Mario Cazzola. Recombinant human erythropoietin is effective in correcting erythropoietin-deficient anaemia after allogeneic bone marrow transplantation 545

Walter H. Reinhart. The influence of iron deficiency on erythrocyte deformability 550

CASE REPORTS

Hirokazu Nishihira, Yukichi Tanaka, Hisato Kigasawa, Yoshiro Sasaki and Junichiro Fujimoto. Ki-1 lymphoma producing G-CSF 556

Rudolf Weide, Hubert Köppler, Jochen Heymanns, Karl-Heinz Pflüger and Klaus Havemann. Successful treatment of clozapine induced agranulocytosis with granulocyte-colony stimulating factor (G-CSF) 557

Joseph P. Evers, Robert J. Jacobson, Jonathan Pincus and James A. Zwiebel. Pseudotumour cerebri following high-dose cytosine arabinoside 559

Vesna Najfeld, Angela Scalise, Nathaniel Wisch and Chris Theodossiou. Duplication q21 to q26 of chromosome 3 in a patient with acute myelogenous leukaemia-M1 560

Etsuro Ito, Tsutomu Toki, Koji Arai, Kyoichi Kawauchi, Hiroyuki Tsuda and Masaru Yokoyama. Expression of a lineage specific transcriptional factor GATA-1 in leukaemic blasts from patients with infantile leukaemia 561

W. N. Patton, T. L. Holyoake, J. M. Yates, B. J. Boughton and I. M. Franklin. Accelerated recovery from drug-induced agranulocytosis following G-CSF therapy 564

CORRESPONDENCE

E. Lawlor. Myeloid antigen expression in childhood acute lymphoblastic leukaemia 566

Alan F. List and Donald C. Doll. Alpha-interferon in the treatment of idiopathic myelofibrosis 566

M. L. S. Ribeiro, E. Baysal, F. Kutlar, G. P. Tamagnini, P. Gonçalves, D. Lopes and T. H. J. Huisman. A novel β°-thalassaemia mutation (codon 15, TGG→TGA) is prevalent in a population of Central Portugal 567

Book Review; Announcements 569

Author and Subject Indexes to Volume 80 570

Vol. 80 Suppl. 1 **April 1992**

Annual General Meeting, British Society for Haemostasis and Thrombosis, Nottingham, 19–20 March 1992